



ఆంధ్రప్రదేశ్ రాజపత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

W.No.7

AMARAVATI, FRIDAY, FEBRUARY 16, 2024

G.3843

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS
AND OTHER OFFICERS**

--X--

NOTIFICATIONS BY GOVERNMENT

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Labour Factories Boilers and Insurance Medical Services Department - The Boilers Act, 1923 and Indian Boiler Regulations, 1950 Boiler No. AP/1190, at M/s Dr. Narla Tata Rao Thermal Power Station, Ibrahimpatnam, Krishna District - Exemption from Sub-section (c) of Section 6 of the Boilers Act, 1923 for a period of 2 (Two) months from 02.01.2024 to 01.03.2024 - Orders - Issued.

=====

LABOUR FACTORIES BOILERS AND INSURANCE MEDICAL SERVICES (B&C) DEPARTMENT

G.O.Rt.No.165

Dated:15 .02.2024

Read the following:

1. From the Director (Thermal), APPGCL, VJA, Lr. No. Director (Thermal) CEG/SEG-1 /EME-I/E1A1 /Blr.Lic./D.No.244/2023, Dt.14.12.2023.
2. From Director of Boilers, Amaravati, Letter. Dated: 09.01.2024

ORDER:

The following notification shall be published in the next issue of the Andhra Pradesh Gazette.

NOTIFICATION

In exercise of the powers conferred under sub-section (2) of Section 34 of the Indian Boilers Act, 1923, Government of Andhra Pradesh hereby exempts the Boiler No. AP/1190 at M/s Dr. Narla Tata Rao Thermal Power Station, Ibrahimpatnam, Krishna District from Sub-section (c) of Section 6 of the Boilers Act, 1923 for a period of 2 (Two) months from 02.01.2024 to 01.03.2024, subject to the following conditions.

1. The inspection fee of Rs.56,000/- paid on 06.12.2023 is adjusted towards the inspection of Boilers and Steam pipe line during working carried out on 03.01.2024 for the purpose of exemption.
2. During the exemption period, the Boiler shall be used in accordance to the provisions of the Boilers Act, the Boiler Attendants' Rules and the Boiler Operation Engineers, Rules.
3. Any repair during the period of exemption shall be carried out only after obtaining the permission from the Director of Boilers, AP Amaravati.
4. No further exemption shall be granted to the Boiler. After the exemption period, the Boiler shall be offered for inspection.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr M HARI JAWAHARLAL
SECRETARY TO GOVERNMENT

To

The Commissioner, Printing & Stores Purchase, Andhra Pradesh, Vijayawada, for publication in Andhra Pradesh Gazette (with a request to furnish 20 copies to Govt.).

The Director of Boilers, Andhra Pradesh, Vijayawada.

The Director (Thermal), Vidyut Soudha, Gunadala, Vijayawada.

Copy to:

PS to Minister for LFB&IMS Department.

PS to Secretary, LFB&IMS Department.

Sf/Sc.

//FORWARDED:: BY ORDER//


SECTION OFFICER

12